

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		1 and (insert\$3 near5 ((current near2 connection or connection near2 state)) near5 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:12
		(process\$3 near\$3 packet) and	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:31
		load near balance\$.709/201. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 08:29
		(communication and stor\$ and unit and maintain\$.ab.	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:37
		(communication and stor\$ and unit and maintain\$.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:37
		(communication and stor\$ and unit and maintain\$) near S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:36
		(communication and stor\$ and unit and maintain\$) near balance\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:36
		communication and stor\$ and unit and maintain\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:35
L1	1246	(load near2 balance\$3) near3 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:11

L2	1	/1 and (insert\$3 near5 ((current near2 connection) or (connection near2 state)) near5 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:12
L3	6	(insert\$3 near5 ((current near2 connection) or (connection near2 state)) near5 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:13
L4	2	/3 and (@ad< "20020628" or @riad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:14
L5	113	(insert\$3 or includ\$3) near5 ((current near2 connection) or (connection near2 state)) near5 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:16
L6	55	/5 and (@ad< "20020628" or @riad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:16
L7	5	/6 and (load near2 balanc\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:17
L8	5405	(insert\$3 near3 (data or information or status or state) near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:21
L9	44	/1 and i8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:21
L10	25	/9 and (@ad< "20020628" or @riad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:21
L11	0	/10 and boolean	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:21

L12	10	1 and (boolean near3 state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:44
L13	9	12 and (@ad< "20020628" or @rlad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:44
L14	11088	(load near2 balanc\$3).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:48
L15	1	14 and (boolean near3 state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:48
L16	1736	(boolean near3 state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:51
L17	10	16 and (((load near3 balanc \$3) or scheduel\$3) near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:52
L18	9	17 and (@ad< "20020628" or @rlad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:53
L19	0	Booleanand (((load near3 balanc\$3) or scheduel\$3) near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:54
L20	51	Boolean and (((load near3 balanc\$3) or scheduel\$3) near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:54
L21	21	20 and (@ad< "20020628" or @rlad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:54

L22	12	I21 not I12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/27 14:54
S1	29283	load near balanc\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:31
S2	250	(resourc\$ and information and data) near packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:33
S3	29283	load near balanc\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:44
S4	3	(communication and storing and unit and maintaining) near packet	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:49
S5	0	(communication and storing and unit and maintaining) near balanc\$	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:39
S6	4	(communication and storing and unit and maintaining) near processor	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:48
S7	0	(communication and storing and unit and maintaining) near distribut\$	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:43
S9	6309	load near balanc\$.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 09:44
S10	49571	communication and storing and unit and maintaining and processor	US-PGPUB; USPAT	ADJ	ON	2007/06/21 09:17
S11	20504	communication and storing and unit and maintaining and packet	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:49
S12	1924	S3 and S10 and S11	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:50
S13	113	S9 and S12	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:51
S14	0	S2 and S13	US-PGPUB; USPAT	ADJ	ON	2007/06/20 09:50
S15	18	S2 and S12	US-PGPUB; USPAT	ADJ	ON	2007/06/20 10:05

S16	2	"5796722".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 10:37
S18	2	"6272522".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/20 10:39
S19	2	"6014567".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 09:12
S20	2	"5991808".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 09:13
S21	2	"6272522".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 09:14
S22	2	"5978844".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 09:14
S23	29340	load near balanc\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/25 08:29
S24	49703	communication and storing and unit and maintaining and processor	US-PGPUB; USPAT	ADJ	ON	2007/06/21 09:17
S25	20554	communication and storing and unit and maintaining and packet	US-PGPUB; USPAT	ADJ	ON	2007/06/21 09:17
S26	1927	S23 and S24 and S25	US-PGPUB; USPAT	ADJ	ON	2007/06/21 09:17
S27	681	S26 and "709".clas.	US-PGPUB; USPAT	ADJ	ON	2007/06/21 09:18
S28	268	(resourc\$ and information and data) near packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/07 16:16

S29	2814	(load near3 balanc\$4) and (address\$3 near3 packet) and processor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:56
S30	0	S29 and (@ad<"06282002" or @rlad<"06282002")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:56
S31	1736	S29 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:57
S32	1616	S31 and (state or status or free or busy)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:58
S33	1546	S31 and (state or status)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:58
S34	14	S33 and ((lowest or least) adj load)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
S35	115	S33 and ((lowest or least) near3 load)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
S36	52	S35 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
S37	1	S35 and "709"/201.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
S38	2	S35 and "709"/213.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59

S39	10	S35 and "709"/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 09:59
S40	2	S35 and "709"/250.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S41	0	S35 and "709"/247.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S42	1	S35 and "709"/248.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S43	3	S35 and "709"/249.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S44	5	S35 and "707"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S45	0	S35 and "715"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S46	0	S35 and "725"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S47	1	S35 and "705"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/31 10:00
S48	0	(process\$3 near\$3 packet) and ((obtain\$3 or get\$3 or request\$3 or find\$3) near3 ((connection and load) adj state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:32

S49	750	((obtain\$3 or get\$3 or request\$3 or find\$3) near3 (connection adj state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:33
S50	281	((obtain\$3 or get\$3 or request\$3 or find\$3) near3 (load adj state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:33
S51	1	S49 and S50	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:33
S52	0	(process\$3 near\$3 packet) and (load adj balanc)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:35
S53	0	(process\$3 near\$3 packet) and (load adj balanc\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:35
S54	0	(process\$3 near\$3 packet) and (load\$balanc\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:35
S55	185	load\$balanc\$4 near3 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:36
S56	8	S55 and ((lowest or least or low\$3 or less\$3) adj (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:37
S57	0	S56 and (@ad< "06282002" or @riad< "06282002")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:37
S58	7	S56 and (@ad< "20020628" or @riad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:38

S59	404	load\$balanc\$4 and ((lowest or least or low\$3 or less\$3) adj (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:54
S60	0	S59 and (@ad<"06282002" or @riad<"06282002")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:54
S61	253	S59 and (@ad<"20020628" or @riad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:55
S62	3	S61 and (S49 or S50)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:55
S63	324	load\$balanc\$4 and ((lowest or least or less\$3) adj (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:56
S64	212	S63 and (@ad<"20020628" or @riad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:57
S65	0	S64 and (S49 or S50)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:57
S66	214	((load adj state) and (connection adj state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:58
S67	0	S64 and S66	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:58
S68	214	S66 and (connection adj state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:59

S69	214	S68 and (load adj state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:59
S70	4	S64 and (connection adj state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 14:59
S71	35	S64 and (load adj state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:09
S72	34	S71 and connection	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S73	34	S72 and (@ad<"20020628" or @rlad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S74	18	S73 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S75	2	S73 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S76	1	S73 and "709"/225.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S77	3	S73 and "709"/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10
S78	2	S73 and "709"/228.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:10

S79	1	S73 and "709"/201.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:11
S80	0	S73 and "709"/213.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:11
S81	0	S73 and "709"/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:11
S82	1	S73 and "709"/250.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:11
S83	18	S71 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:13
S84	17	S71 not S83	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:21
S85	0	S64 and (insert\$3 near3 connection near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:25
S86	0	S64 and (insert\$3 near3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:25
S87	13	S64 and (insert\$3 near3 connection)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:26
S88	60	(load\$balanc\$3) and (insert \$3 near3 connection)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:34

S89	38	S88 and (@ad< "20020628" or @rlad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:34
S90	25	S89 not S87	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 15:41
S91	2	"6883095".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 11:42
S92	2	"6199102".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 11:45
S93	2	"20050055410"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 12:22
S94	74	"6351467"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 13:54
S95	2	"6351467".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 13:55
S96	3	(load adj balanc\$4) and (multi \$core near3 (digital adj signal))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:45
S97	0	S96 and (@ad< "20020628" or @rlad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:46
S98	39	(multi\$core near3 (digital adj signal))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:46

S99	18	S98 and (@ad< "20020628" or @rlad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:46
S100	3	S99 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:46
S101	0	S99 and (load near3 state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:47
S102	7	S99 and load\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 15:47
S103	2	"20060053424"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 16:03
S104	3	"20050228736"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 16:20
S105	3	"20020152239"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/03 16:21
S106	195	insert\$ near5 (connection adj state)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:41
S107	3	insert\$ near5 (connection adj state) near5 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:41
S108	1	S107 and (@ad< "20020628" or @rlad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:41

S109	1	S108 and (connection or load \$) near3 state	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:44
S110	2	(load adj balanc\$3) and (insert\$ near5 (connection adj state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:51
S111	1	S110 and (@ad< "20020628" or @rlad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 11:51
S112	49900	load\$3 near2 balanc\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:09
S113	4831	S112 and ((low or lowest or least or less) near2 (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:09
S114	2782	S113 and (@ad< "20020628" or @rlad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:09
S115	352	S114 and (received near2 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:10
S116	167	S115 and "709"/\$.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:10
S117	27	S115 and "709"/226.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:10
S118	11	S115 and "709"/201.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:11

S119	23	S115 and "709"/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:11
S120	8	S115 and "709"/250.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:11
S121	49900	load\$3 near2 balanc\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:15
S122	4831	S121 and ((low or lowest or least or less) near2 (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:15
S123	2782	S122 and (@ad< "20020628" or @rlad< "20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:15
S124	352	S123 and (received near2 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:15
S125	88	S124 and (load near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:16
S126	8	S125 and ((connection or communication) near2 (state or status))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/28 13:16
S127	2	"7159230".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/09 14:24
S128	2	"20050066685"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/09 14:25

S129	2	"5745778".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/24 15:44
S130	1245	(load near2 balanc\$3) near3 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/24 16:39
S131	17	S130 and ((least or lowest or less) near3 (busy or load) near3 processor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/24 16:40
S132	10	S131 and (@ad<"20020628" or @riad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/24 16:53
S133	1246	(load near2 balanc\$3) near3 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 16:46
S134	236	S133 and ((least or lowest or less) near3 (busy or load))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 16:46
S135	131	S134 and (@ad<"20020628" or @riad<"20020628")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 16:46
S136	36	S135 and ((different or multiple or plurality or many) near3 processor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 16:48
S137	6	S136 and 709/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 17:30
S138	25	S136 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 17:30

S139	3	"11090920"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 18:52
------	---	------------	---	-----	----	---------------------

2/ 27/ 2010 3:35:40 PM

C:\Documents and Settings\staha\My Documents\EAST\Workspaces\10518930.wsp